— ABLYBIO, Help Your Research

Chk1 (Phospho Ser317) Rabbit mAb

货号: AAY1930

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF IP ELISA
推荐浓度	**IHC:** 1:100-1:800 **WB:** 1:1000-1:3000 **IF:** 1:100-1:800 **ELISA:** 1:5000-1:20000 **IP:** 1:50-1:200
理论分子量	54kD
实测分子量	50kD-56KD
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.932.
偶联物	Unconjugated
阳性对照	HT-29,HepG2,C6
细胞定位	Nucleus, Chromosome, Cytoplasm, cytoskeleton, microtubule organizing center, centrosome
纯化	亲和纯化

抗原信息

抗原信息	

靶点信息

研究背景	The protein encoded by this gene belongs to the Ser/Thr protein kinase family. It is required for checkpoint mediated cell cycle arrest in response to DNA damage or the presence of unreplicated DNA. This protein acts to integrate signals from ATM and ATR, two cell cycle proteins involved in DNA damage responses, that also associate with chromatin in meiotic prophase I. Phosphorylation of CDC25A protein phosphatase by this protein is required for cells to delay cell cycle progression in response to double-strand DNA breaks. Several alternatively spliced transcript variants have been found for this gene.
基因ID	1111
基因名	CHEK1
Swiss	O14757 (https://www.uniprot.org/uniprotkb/O14757/entry)
别名	CHEK1;Serine/threonine-protein kinase Chk1;CHEK1;CHK1;Serine/threonine-protein kinase Chk1;CHK1 checkpoint homolog;Cell cycle checkpoint kinase;Checkpoint kinase-1

产品验证



Immunofluorescence analysis of A549 cells labelling Chk1 (Phospho Ser317) Rabbit mAb with . The cells were fixed with cold 100% methanol (10min, 4℃) and blocked in 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween 20 for 1h. The cells were then incubate with Goat Anti-Rabbit IgG Fluor488 (1:200，shown in green) at room temprature for 1h.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)