— ABLYBIO, Help Your Research

VASP (Phospho Ser239) Rabbit mAb

货号: AAY1951

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF IP ELISA
推荐浓度	**IHC:** 1:100-1:800 **WB:** 1:1000-1:3000 **IF:** 1:100-1:800 **ELISA:** 1:5000-1:20000 **IP:** 1:50-1:200
理论分子量	40kD
实测分子量	48kD
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.953.
偶联物	Unconjugated
阳性对照	HEL
细胞定位	Cytoplasm, cytoskeleton, Cell junction, focal adhesion, tight junction, Cell projection, lamellipodium membrane, filopodium membrane
纯化	亲和纯化

抗原信息

抗原信息	

靶点信息

研究背景	Vasodilator-stimulated phosphoprotein (VASP) is a member of the Ena-VASP protein family. Ena-VASP family members contain an EHV1 N-terminal domain that binds proteins containing E/DFPPPPXD/E motifs and targets Ena-VASP proteins to focal adhesions. In the mid-region of the protein, family members have a proline-rich domain that binds SH3 and WW domain-containing proteins. Their C-terminal EVH2 domain mediates tetramerization and binds both G and F actin. VASP is associated with filamentous actin formation and likely plays a widespread role in cell adhesion and motility. VASP may also be involved in the intracellular signaling pathways that regulate integrin-extracellular matrix interactions. VASP is regulated by the cyclic nucleotide-dependent kinases PKA and PKG.
基因ID	7408
基因名	VASP
Swiss	P50552 (https://www.uniprot.org/uniprotkb/P50552/entry)
别名	VASP;Vasodilator-stimulated phosphoprotein;Vasodilator-stimulated phosphoprotein;VASP;

产品验证

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)