— ABLYBIO, Help Your Research

TGFB3 Antibody

货号: ABY1003

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC ICC/IF
推荐浓度	**WB:** 1:500-1:3000, IF/ICC 1:100-1:500 **IHC:** 1:50-1:200, **IF/ICC :** 1:100-1:500
理论分子量	47kDa
实测分子量	
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.5.
偶联物	Unconjugated
阳性对照	BT-474,K-937,Mouse lung,Mouse skeletal muscle,Mouse heart,Rat lung,Rat heart
细胞定位	[Latency-associated peptide]: Secreted, [Transforming growth factor beta-3]: Secreted
纯化	亲和纯化


抗原信息

抗原信息	

靶点信息

研究背景	This gene encodes a member of the TGF-beta family of proteins. The encoded protein is secreted and is involved in embryogenesis and cell differentiation. Defects in this gene are a cause of familial arrhythmogenic right ventricular dysplasia 1.
基因ID	7043
基因名	TGFB3
Swiss	P10600 (https://www.uniprot.org/uniprotkb/P10600/entry)
别名	ARVD; ARVD1; FLJ16571; LDS5; MGC105479; MGC118722; prepro-transforming growth factor beta-3; RNHF; TGF beta 3; TGF beta3; TGF-beta-3; TGFB 3; Tgfb3; TGFB3_HUMAN; transforming growth factor beta 3; Transforming growth factor beta-3;

产品验证



Western blot analysis of TGFB3 expressed in Mouse lung,Rat lung,BT-474 using TGFB3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)