

— ABLYBIO, Help Your Research



# FGR Antibody

货号: **ABY1019**

## 产品信息

反应	Human, Mouse, Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500-1:1000, IF/ICC 1:100-1:500
理论分子量	59kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.5.
偶联物	Unconjugated
阳性对照	HL-60,U-937,Raji
细胞定位	Cell membrane ; Lipid-anchor
纯化	亲和纯化

## 抗原信息

抗原信息	
------	--

## 靶点信息

研究背景	This gene is a member of the Src family of protein tyrosine kinases (PTKs). The encoded protein contains N-terminal sites for myristylation and palmitoylation, a PTK domain, and SH2 and SH3 domains which are involved in mediating protein-protein interactions with phosphotyrosine-containing and proline-rich motifs, respectively. The protein localizes to plasma membrane ruffles, and functions as a negative regulator of cell migration and adhesion triggered by the beta-2 integrin signal transduction pathway. Infection with Epstein-Barr virus results in the overexpression of this gene. Multiple alternatively spliced variants, encoding the same protein, have been identified.
基因ID	2268
基因名	FGR
Swiss	P09769
别名	c fgr; c fgr protooncogene; c src 2 proto oncogene; c src2; Fgr; FGR_HUMAN; FLJ43153; Gardner Rasheed feline sarcoma viral (v fgr); Gardner Rasheed feline sarcoma viral (v fgr) oncogene homolog; Gardner-Rasheed feline sarcoma viral (v-fgr) oncogene homolog; MGC75096; p55 c fgr protein; P55 FGR; P55-FGR; p55c fgr; p58-Fgr; p58c fgr; p58c-Fgr; Proto oncogene c Fgr; Proto oncogene tyrosine protein kinase FGR; Proto-oncogene c-Fgr; SRC 2; SRC2; Tyrosine protein kinase Fgr; Tyrosine-protein kinase Fgr;

## 产品验证

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)