

— ABLYBIO, Help Your Research



NR1H2 Antibody

货号: **ABY1096**

产品信息

反应	Human, Mouse, Rat, Pig
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500-1:2000, IHC 1:50-1:200
理论分子量	51kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.5.
偶联物	Unconjugated
阳性对照	HepG2,A-431,SH-SY5Y,Mouse liver,Mouse brain,Rat liver
细胞定位	Nucleus
纯化	亲和纯化

抗原信息

抗原信息	
------	--

靶点信息

研究背景	The liver X receptors, LXRA (NR1H3; MIM 602423) and LXRβ, form a subfamily of the nuclear receptor superfamily and are key regulators of macrophage function, controlling transcriptional programs involved in lipid homeostasis and inflammation. The inducible LXRA is highly expressed in liver, adrenal gland, intestine, adipose tissue, macrophages, lung, and kidney, whereas LXRβ is ubiquitously expressed. Ligand-activated LXRs form obligate heterodimers with retinoid X receptors (RXRs; see MIM 180245) and regulate expression of target genes containing LXR response elements (summary by Korf et al., 2009 [PubMed 19436111]).[supplied by OMIM, Jan 2010]
基因ID	7376
基因名	NR1H2
Swiss	P55055
别名	Liver X nuclear receptor beta; Liver X receptor beta; LX receptor beta; LXR b; LXR beta; LXRβ; NER; NER1; NER1; NR1H 2; NR1H2; NR1H2_HUMAN; Nuclear orphan receptor LXR beta; Nuclear receptor NER; Nuclear receptor subfamily 1 group H member 2; OR-1; Oxysterols receptor LXR-beta; RIP15; Steroid hormone nuclear receptor NER; Ubiquitously-expressed nuclear receptor; UNR;

产品验证

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)