

— ABLYBIO, Help Your Research



SIRT2 (YD14264) Rabbit mAb

货号: **AYD11163**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC-P IP
推荐浓度	
理论分子量	43kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,Rat brain
细胞定位	Nucleus, Cytoplasm, perinuclear region, cytoskeleton, microtubule organizing center, centrosome, centriole, spindle, Midbody, Chromosome, Perikaryon, Cell projection, growth cone, Myelin membrane
纯化	亲和纯化




抗原信息

抗原信息	
------	--

靶点信息

研究背景	This gene encodes a member of the sirtuin family of proteins, homologs to the yeast Sir2 protein. Members of the sirtuin family are characterized by a sirtuin core domain and grouped into four classes. The functions of human sirtuins have not yet been determined; however, yeast sirtuin proteins are known to regulate epigenetic gene silencing and suppress recombination of rDNA. Studies suggest that the human sirtuins may function as intracellular regulatory proteins with mono-ADP-ribosyltransferase activity. The protein encoded by this gene is included in class I of the sirtuin family. Several transcript variants are resulted from alternative splicing of this gene.
基因ID	22933
基因名	SIRT2
Swiss	Q8IXJ6 (https://www.uniprot.org/uniprotkb/Q8IXJ6/entry)
别名	SIRT2 (YD14264),SIRT2 (YD14264) Rabbit mAb,SIRT2,NAD-dependent protein deacylase sirtuin-2,NAD-dependent protein defatty-acylase sirtuin-2,Regulatory protein SIR2 homolog 2,SIR2-like protein 2,SIR2L,SIR2L2

产品验证



实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)

