

— ABLYBIO, Help Your Research



Daxx (YD31549) Rabbit mAb

货号: **AYD11451**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC-P ICC/IF FC
推荐浓度	
理论分子量	81kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	K-562,SH-SY5Y
细胞定位	Cytoplasm, Nucleus, nucleoplasm, PML body, nucleolus, Chromosome, centromere
纯化	亲和纯化





抗原信息

抗原信息	
------	--

靶点信息

研究背景	This gene encodes a multifunctional protein that resides in multiple locations in the nucleus and in the cytoplasm. It interacts with a wide variety of proteins, such as apoptosis antigen Fas, centromere protein C, and transcription factor erythroblastosis virus E26 oncogene homolog 1. In the nucleus, the encoded protein functions as a potent transcription repressor that binds to sumoylated transcription factors. Its repression can be relieved by the sequestration of this protein into promyelocytic leukemia nuclear bodies or nucleoli. This protein also associates with centromeres in G2 phase. In the cytoplasm, the encoded protein may function to regulate apoptosis. The subcellular localization and function of this protein are modulated by post-translational modifications, including sumoylation, phosphorylation and polyubiquitination. Alternative splicing results in multiple transcript variants.
基因ID	1616
基因名	DAXX
Swiss	Q9UER7 (https://www.uniprot.org/uniprotkb/Q9UER7/entry)
别名	Daxx (YD31549),Daxx (YD31549) Rabbit mAb,DAXX,ETS1-associated protein 1,Fas death domain-associated protein,BING2,DAP6

产品验证



实验步骤

