

— ABLYBIO, Help Your Research



S100A1 (YD34644) Rabbit mAb

货号: **AYD11527**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB ICC/IF
推荐浓度	
理论分子量	11kDa/11kDa/11kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	
细胞定位	Cytoplasm, Sarcoplasmic reticulum, Mitochondrion
纯化	亲和纯化


抗原信息


抗原信息	
------	--

靶点信息

研究背景	<p>Small calcium binding protein that plays important roles in several biological processes such as Ca(2+) homeostasis, chondrocyte biology and cardiomyocyte regulation (PubMed:12804600). In response to an increase in intracellular Ca(2+) levels, binds calcium which triggers conformational changes (PubMed:23351007). These changes allow interactions with specific target proteins and modulate their activity (PubMed:22399290). Regulates a network in cardiomyocytes controlling sarcoplasmic reticulum Ca(2+) cycling and mitochondrial function through interaction with the ryanodine receptors RYR1 and RYR2, sarcoplasmic reticulum Ca(2+)-ATPase/ATP2A2 and mitochondrial F1-ATPase (PubMed:12804600). Facilitates diastolic Ca(2+) dissociation and myofilament mechanics in order to improve relaxation during diastole (PubMed:11717446)</p> <p>Small calcium binding protein that plays important roles in several biological processes such as Ca(2+) homeostasis, chondrocyte biology and cardiomyocyte regulation (PubMed:11909974, PubMed:16952982). In response to an increase in intracellular Ca(2+) levels, binds calcium which triggers conformational changes. These changes allow interactions with specific target proteins and modulate their activity. Regulates a network in cardiomyocytes controlling sarcoplasmic reticulum Ca(2+) cycling and mitochondrial function through interaction with the ryanodine receptors RYR1 and RYR2, sarcoplasmic reticulum Ca(2+)-ATPase/ATP2A2 and mitochondrial F1-ATPase (PubMed:17438143). Facilitates diastolic Ca(2+) dissociation and myofilament mechanics in order to improve relaxation during diastole (By similarity)</p> <p>Small calcium binding protein that plays important roles in several biological processes such as Ca(2+) homeostasis, chondrocyte biology and cardiomyocyte regulation. In response to an increase in intracellular Ca(2+) levels, binds calcium which triggers conformational changes. These changes allow interactions with specific target proteins and modulate their activity. Regulates a network in cardiomyocytes controlling sarcoplasmic reticulum Ca(2+) cycling and mitochondrial function through interaction with the ryanodine receptors RYR1 and RYR2, sarcoplasmic reticulum Ca(2+)-ATPase/ATP2A2 and mitochondrial F1-ATPase (PubMed:18650434). Facilitates diastolic Ca(2+) dissociation and myofilament mechanics in order to improve relaxation during diastole (By similarity) (PubMed:18650434)</p>
基因ID	6271
基因名	S100A1, S100a1
Swiss	P23297 (https://www.uniprot.org/uniprotkb/P23297/entry), P56565 (https://www.uniprot.org/uniprotkb/P56565/entry), P35467 (https://www.uniprot.org/uniprotkb/P35467/entry)
别名	S100A1 (YD34644),S100A1 (YD34644) Rabbit mAb,S100A1,S-100 protein alpha chain,S-100 protein subunit alpha,S100 calcium-binding protein A1,S100A

产品验证





实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)