

— ABLYBIO, Help Your Research



Syntaxin 1A (YD34622) Rabbit mAb

货号: **AYD11550**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC-P ICC/IF FC IP
推荐浓度	
理论分子量	33kDa/33kDa/33kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	
细胞定位	Cytoplasmic vesicle, secretory vesicle, synaptic vesicle membrane, Synapse, synaptosome, Cell membrane, Secreted
纯化	亲和纯化


抗原信息

抗原信息	
------	--

靶点信息

研究背景	<p>Plays an essential role in hormone and neurotransmitter calcium-dependent exocytosis and endocytosis (PubMed:26635000). Part of the SNARE (Soluble NSF Attachment Receptor) complex composed of SNAP25, STX1A and VAMP2 which mediates the fusion of synaptic vesicles with the presynaptic plasma membrane. STX1A and SNAP25 are localized on the plasma membrane while VAMP2 resides in synaptic vesicles. The pairing of the three SNAREs from the N-terminal SNARE motifs to the C-terminal anchors leads to the formation of the SNARE complex, which brings membranes into close proximity and results in final fusion. Participates in the calcium-dependent regulation of acrosomal exocytosis in sperm (PubMed:23091057). Also plays an important role in the exocytosis of hormones such as insulin or glucagon-like peptide 1 (GLP-1) (By similarity) Plays an essential role in hormone and neurotransmitter calcium-dependent exocytosis and endocytosis (PubMed:17502420, PubMed:28031464, PubMed:28596237). Part of the SNARE (Soluble NSF Attachment Receptor) complex composed of SNAP25, STX1A and VAMP2 which mediates the fusion of synaptic vesicles with the presynaptic plasma membrane. STX1A and SNAP25 are localized on the plasma membrane while VAMP2 resides in synaptic vesicles. The pairing of the three SNAREs from the N-terminal SNARE motifs to the C-terminal anchors leads to the formation of the SNARE complex, which brings membranes into close proximity and results in final fusion. Participates in the calcium-dependent regulation of acrosomal exocytosis in sperm (PubMed:12101244). Also plays an important role in the exocytosis of hormones such as insulin or glucagon-like peptide 1 (GLP-1) (PubMed:17502420, PubMed:28031464, PubMed:28596237) Plays an essential role in hormone and neurotransmitter calcium-dependent exocytosis and endocytosis (PubMed:17301173, PubMed:18167541, PubMed:20484665, PubMed:22411134, PubMed:28813412, PubMed:7901002). Part of the SNARE (Soluble NSF Attachment Receptor) complex composed of SNAP25, STX1A and VAMP2 which mediates the fusion of synaptic vesicles with the presynaptic plasma membrane (PubMed:14665625, PubMed:16888141, PubMed:19571812). STX1A and SNAP25 are localized on the plasma membrane while VAMP2 resides in synaptic vesicles. The pairing of the three SNAREs from the N-terminal SNARE motifs to the C-terminal anchors leads to the formation of the SNARE complex, which brings membranes into close proximity and results in final fusion (PubMed:14665625, PubMed:16888141, PubMed:19571812). Participates in the calcium-dependent regulation of acrosomal exocytosis in sperm (By similarity). Also plays an important role in the exocytosis of hormones such as insulin or glucagon-like peptide 1 (GLP-1) (By similarity)</p>
基因ID	6804
基因名	STX1A, Stx1a
Swiss	Q16623 (https://www.uniprot.org/uniprotkb/Q16623/entry), O35526 (https://www.uniprot.org/uniprotkb/O35526/entry), P32851 (https://www.uniprot.org/uniprotkb/P32851/entry)
别名	Syntaxin 1A (YD34622), Syntaxin 1A (YD34622) Rabbit mAb, STX1A, Neuron-specific antigen HPC-1, Synaptotagmin-associated 35 kDa protein, STX1, Sap

产品验证



实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)

