— ABLYBIO, Help Your Research

FGF2 (YD11319) Rabbit mAb

货号: AYD11718

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB ICC/IF FC IP
推荐浓度	**WB: 1:1000-1：3000:** **ICC/IF: 1:100-1:500:** **FC: 1:200-1:500:** **IP: 1:20-1:50:**
理论分子量	31kDa
实测分子量	18kDa/22kDa/31kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T
细胞定位	Secreted, Nucleus
纯化	亲和纯化


抗原信息

抗原信息	

靶点信息

研究背景	The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members bind heparin and possess broad mitogenic and angiogenic activities. This protein has been implicated in diverse biological processes, such as limb and nervous system development, wound healing, and tumor growth. The mRNA for this gene contains multiple polyadenylation sites, and is alternatively translated from non-AUG (CUG) and AUG initiation codons, resulting in five different isoforms with distinct properties. The CUG-initiated isoforms are localized in the nucleus and are responsible for the intracrine effect, whereas, the AUG-initiated form is mostly cytosolic and is responsible for the paracrine and autocrine effects of this FGF.
基因ID	2247
基因名	FGF2
Swiss	P09038 (https://www.uniprot.org/uniprotkb/P09038/entry)
别名	FGF2 (YD11319),FGF2 (YD11319) Rabbit mAb,FGF2,Basic fibroblast growth factor,Heparin-binding growth factor 2,FGFB

产品验证



Western blot analysis of extracts from HeLa cells using AYD11718 at 1:1000.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)