

— ABLYBIO, Help Your Research



# IGFBP7 (YD14882) Rabbit mAb

货号: **AYD11753**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC-P ICC/IF FC
推荐浓度	
理论分子量	29kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse kidney,Rat kidney
细胞定位	Secreted
纯化	亲和纯化




## 抗原信息


抗原信息	
------	--

## 靶点信息

研究背景	This gene encodes a member of the insulin-like growth factor (IGF)-binding protein (IGFBP) family. IGFBPs bind IGFs with high affinity, and regulate IGF availability in body fluids and tissues and modulate IGF binding to its receptors. This protein binds IGF-I and IGF-II with relatively low affinity, and belongs to a subfamily of low-affinity IGFBPs. It also stimulates prostacyclin production and cell adhesion. Alternatively spliced transcript variants encoding different isoforms have been described for this gene, and one variant has been associated with retinal arterial macroaneurysm (PMID:21835307).
基因ID	3490
基因名	IGFBP7
Swiss	Q16270 ( <a href="https://www.uniprot.org/uniprotkb/Q16270/entry">https://www.uniprot.org/uniprotkb/Q16270/entry</a> )
别名	IGFBP7 (YD14882),IGFBP7 (YD14882) Rabbit mAb,IGFBP7,IGFBP-rP1,MAC25 protein,PGI2-stimulating factor,Prostacyclin-stimulating factor,Tumor-derived adhesion factor,MAC25,PSF

### 产品验证





### 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))