

— ABLYBIO, Help Your Research



Securin (YD16413) Rabbit mAb

货号: **AYD11881**

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC-P ICC/IF FC
推荐浓度	
理论分子量	22kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SW480,Jurkat,HeLa,Mouse stomach,Mouse thymus,Mouse spleen,Rat testis
细胞定位	Cytoplasm, Nucleus
纯化	亲和纯化




抗原信息

抗原信息	
------	--

靶点信息

研究背景	The encoded protein is a homolog of yeast securin proteins, which prevent separins from promoting sister chromatid separation. It is an anaphase-promoting complex (APC) substrate that associates with a separin until activation of the APC. The gene product has transforming activity in vitro and tumorigenic activity in vivo, and the gene is highly expressed in various tumors. The gene product contains 2 PXXP motifs, which are required for its transforming and tumorigenic activities, as well as for its stimulation of basic fibroblast growth factor expression. It also contains a destruction box (D box) that is required for its degradation by the APC. The acidic C-terminal region of the encoded protein can act as a transactivation domain. The gene product is mainly a cytosolic protein, although it partially localizes in the nucleus. Three transcript variants encoding the same protein have been found for this gene.
基因ID	9232
基因名	PTTG1
Swiss	O95997 (https://www.uniprot.org/uniprotkb/O95997/entry)
别名	Securin (YD16413),Securin (YD16413) Rabbit mAb,PTTG1,Esp1-associated protein,Pituitary tumor-transforming gene 1 protein,EAP1,PTTG,TUTR1

产品验证



实验步骤

