

— ABLYBIO, Help Your Research



Bcr (YD31118) Rabbit mAb

货号: **AYD12204**

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC-P ICC/IF
推荐浓度	
理论分子量	143kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,Jurkat,HeLa,Mouse brain,Rat brain
细胞定位	Postsynaptic density, Cell projection, dendritic spine, axon, Synapse
纯化	亲和纯化




抗原信息

抗原信息	
------	--

靶点信息

研究背景	A reciprocal translocation between chromosomes 22 and 9 produces the Philadelphia chromosome, which is often found in patients with chronic myelogenous leukemia. The chromosome 22 breakpoint for this translocation is located within the BCR gene. The translocation produces a fusion protein which is encoded by sequence from both BCR and ABL, the gene at the chromosome 9 breakpoint. Although the BCR-ABL fusion protein has been extensively studied, the function of the normal BCR gene product is not clear. The protein has serine/threonine kinase activity and is a GTPase-activating protein for p21rac. Two transcript variants encoding different isoforms have been found for this gene.
基因ID	613
基因名	BCR
Swiss	P11274 (https://www.uniprot.org/uniprotkb/P11274/entry)
别名	Bcr (YD31118), Bcr (YD31118) Rabbit mAb, BCR, Renal carcinoma antigen NY-REN-26, BCR1, D22S11

产品验证



实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)