

— ABLYBIO, Help Your Research



Tissue Factor (YD14507) Rabbit mAb

货号: **AYD12330**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC-P ICC/IF
推荐浓度	
理论分子量	33kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	BxPC-3,Mouse brain,Mouse heart
细胞定位	Membrane, Secreted
纯化	亲和纯化



抗原信息

抗原信息	
------	--

靶点信息

研究背景	This gene encodes coagulation factor III which is a cell surface glycoprotein. This factor enables cells to initiate the blood coagulation cascades, and it functions as the high-affinity receptor for the coagulation factor VII. The resulting complex provides a catalytic event that is responsible for initiation of the coagulation protease cascades by specific limited proteolysis. Unlike the other cofactors of these protease cascades, which circulate as nonfunctional precursors, this factor is a potent initiator that is fully functional when expressed on cell surfaces. There are 3 distinct domains of this factor: extracellular, transmembrane, and cytoplasmic. This protein is the only one in the coagulation pathway for which a congenital deficiency has not been described. Alternate splicing results in multiple transcript variants.
基因ID	2152
基因名	F3
Swiss	P13726 (https://www.uniprot.org/uniprotkb/P13726/entry)
别名	Tissue Factor (YD14507),Tissue Factor (YD14507) Rabbit mAb,F3,Coagulation factor III,Thromboplastin

产品验证



实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)