

— ABLYBIO, Help Your Research



# ENO1 (YD11537) Rabbit mAb

货号: **AYD12339**

## 产品信息

|       |   |
|-------|---|
| 反应    | Human, Mouse, Rat   |
| 宿主    | Rabbit  |
| 克隆性   | Monoclonal  |
| 预测反应  |   |
| 应用    | WB ICC/IF FC IP   |
| 推荐浓度  |   |
| 理论分子量 | 47kDa   |
| 实测分子量 |   |
| 形式    | Liquid  |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.75% BSA, 50% glycerol, pH7.3. |
| 偶联物   | Unconjugated  |
| 阳性对照  | HeLa  |
| 细胞定位  | Cytoplasm, Cell membrane, myofibril, sarcomere, M line, Nucleus                                 |
| 纯化    | 亲和纯化  |




## 抗原信息

|      |  |
|------|--|
| 抗原信息 |  |
|------|--|

## 靶点信息

|       |  |
|-------|--|
| 研究背景  | This gene encodes alpha-enolase, one of three enolase isoenzymes found in mammals. Each isoenzyme is a homodimer composed of 2 alpha, 2 gamma, or 2 beta subunits, and functions as a glycolytic enzyme. Alpha-enolase in addition, functions as a structural lens protein (tau-crystallin) in the monomeric form. Alternative splicing of this gene results in a shorter isoform that has been shown to bind to the c-myc promoter and function as a tumor suppressor. Several pseudogenes have been identified, including one on the long arm of chromosome 1. Alpha-enolase has also been identified as an autoantigen in Hashimoto encephalopathy. |
| 基因ID  | 2023   |
| 基因名   | ENO1   |
| Swiss | P06733 ( <a href="https://www.uniprot.org/uniprotkb/P06733/entry">https://www.uniprot.org/uniprotkb/P06733/entry</a> )   |
| 别名    | ENO1 (YD11537), ENO1 (YD11537) Rabbit mAb, ENO1, 2-phospho-D-glycerate hydro-lyase, C-myc promoter-binding protein, Enolase 1, MBP-1, MPB-1, Non-neural enolase, Phosphopyruvate hydratase, Plasminogen-binding protein, ENO1L1, MBPB1, MPB1   |

## 产品验证



## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)

