

— ABLYBIO, Help Your Research



UBE2C (YD34033) Rabbit mAb

货号: **AYD12363**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC-P ICC/IF IP
推荐浓度	
理论分子量	20kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	PC-3,NIH/3T3
细胞定位	
纯化	亲和纯化




抗原信息


抗原信息	
------	--

靶点信息

研究背景	The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, ubiquitin-conjugating enzymes, and ubiquitin-protein ligases. This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. The encoded protein is required for the destruction of mitotic cyclins and for cell cycle progression, and may be involved in cancer progression. Multiple transcript variants encoding different isoforms have been found for this gene. Pseudogenes of this gene have been defined on chromosomes 4, 14, 15, 18, and 19.
基因ID	11065
基因名	UBE2C
Swiss	O00762 (https://www.uniprot.org/uniprotkb/O00762/entry)
别名	UBE2C (YD34033),UBE2C (YD34033) Rabbit mAb,UBE2C,(E3-independent) E2 ubiquitin-conjugating enzyme C,E2 ubiquitin-conjugating enzyme C,UbcH10,Ubiquitin carrier protein C,Ubiquitin-protein ligase C

产品验证





实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)