

KLF4 (YD15458) Rabbit mAb

货号: **AYD12961**

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC-P ICC/IF IP
推荐浓度	
理论分子量	52kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	
细胞定位	Nucleus, Cytoplasm
纯化	

抗原信息



抗原信息	
------	--

靶点信息

研究背景	<p>Transcription factor; can act both as activator and as repressor. Binds the 5'-CACCC-3' core sequence (PubMed:10431239, PubMed:10556311, PubMed:15358627, PubMed:16954384, PubMed:17060454, PubMed:19816951, PubMed:20071344, PubMed:29593216, PubMed:39986490). Binds to the promoter region of its own gene and can activate its own transcription (PubMed:10431239, PubMed:10556311, PubMed:15358627, PubMed:16954384, PubMed:17060454, PubMed:19816951, PubMed:20071344, PubMed:29593216). Regulates the expression of key transcription factors during embryonic development (PubMed:10431239, PubMed:10556311, PubMed:15358627, PubMed:16954384, PubMed:17060454, PubMed:19816951, PubMed:20071344, PubMed:29593216). Plays an important role in maintaining embryonic stem cells, and in preventing their differentiation (PubMed:10431239, PubMed:10556311, PubMed:15358627, PubMed:16954384, PubMed:17060454, PubMed:19816951, PubMed:20071344, PubMed:29593216). Required for establishing the barrier function of the skin and for postnatal maturation and maintenance of the ocular surface. Involved in the differentiation of epithelial cells and may also function in skeletal and kidney development. Contributes to the down-regulation of p53/TP53 transcription (By similarity)</p>
------	---

基因ID	3134
基因名	Klf4
Swiss	Q60793
别名	KLF4 (YD15458)

产品验证



实验步骤

访问官网浏览详情: www.ablybio.cn