

IL-2 (YD33826) Rabbit mAb

货号: **AYD13038**

产品信息

| | |
|-------|---|
| 反应 | Human |
| 宿主 | Rabbit |
| 克隆性 | Monoclonal |
| 预测反应 | |
| 应用 | WB ICC/IF IP |
| 推荐浓度 | |
| 理论分子量 | 18kDa |
| 实测分子量 | |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | Jurkat |
| 细胞定位 | Secreted |
| 纯化 | |

抗原信息

| | |
|------|--|
| 抗原信息 | |
|------|--|


靶点信息

| | |
|------|---|
| 研究背景 | The protein encoded by this gene is a secreted cytokine that is important for the proliferation of T and B lymphocytes. The receptor of this cytokine is a heterotrimeric protein complex whose gamma chain is also shared by interleukin 4 (IL4) and interleukin 7 (IL7). The expression of this gene in mature thymocytes is monoallelic, which represents an unusual regulatory mode for controlling the precise expression of a single gene. The targeted disruption of a similar gene in mice leads to ulcerative colitis-like disease, which suggests an essential role of this gene in the immune response to antigenic stimuli. |
| 基因ID | 3558 |
| 基因名 | IL2 |

| | |
|-------|----------------|
| Swiss | P60568 |
| 别名 | IL-2 (YD33826) |

产品验证

Recombinant Human IL-2 protein



实验步骤

访问官网浏览详情: www.ablybio.cn