

— ABLYBIO, Help Your Research



# TAB3 (YD33235) Rabbit mAb

货号: **AYD13239**

## 产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB ICC/IF
推荐浓度	
理论分子量	79kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HepG2,Mouse spleen,Mouse heart,Rat testis
细胞定位	
纯化	亲和纯化




## 抗原信息

抗原信息	
------	--

## 靶点信息

研究背景	The product of this gene functions in the NF-kappaB signal transduction pathway. The encoded protein, and the similar and functionally redundant protein MAP3K7IP2/TAB2, forms a ternary complex with the protein kinase MAP3K7/TAK1 and either TRAF2 or TRAF6 in response to stimulation with the pro-inflammatory cytokines TNF or IL-1. Subsequent MAP3K7/TAK1 kinase activity triggers a signaling cascade leading to activation of the NF-kappaB transcription factor. The human genome contains a related pseudogene. Alternatively spliced transcript variants have been described, but their biological validity has not been determined. [provided by RefSeq, Jul 2008]
基因ID	257397
基因名	TAB3
Swiss	Q8N5C8 ( <a href="https://www.uniprot.org/uniprotkb/Q8N5C8/entry">https://www.uniprot.org/uniprotkb/Q8N5C8/entry</a> )
别名	TAB3 (YD33235),TAB3 (YD33235) Rabbit mAb,TAB3,Mitogen-activated protein kinase kinase kinase 7-interacting protein 3,NF-kappa-B-activating protein 1,TAK1-binding protein 3,TGF-beta-activated kinase 1-binding protein 3,MAP3K7IP3

## 产品验证



## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)

