

— ABLYBIO, Help Your Research



ICAM3 (YD33637) Rabbit mAb

货号: **AYD13255**

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC-P ICC/IF
推荐浓度	
理论分子量	60kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-937
细胞定位	Cell membrane
纯化	亲和纯化




抗原信息


抗原信息	
------	--

靶点信息

研究背景	The protein encoded by this gene is a member of the intercellular adhesion molecule (ICAM) family. All ICAM proteins are type I transmembrane glycoproteins, contain 2-9 immunoglobulin-like C2-type domains, and bind to the leukocyte adhesion LFA-1 protein. This protein is constitutively and abundantly expressed by all leucocytes and may be the most important ligand for LFA-1 in the initiation of the immune response. It functions not only as an adhesion molecule, but also as a potent signalling molecule. Alternative splicing results in multiple transcript variants encoding different isoforms.
基因ID	3385
基因名	ICAM3
Swiss	P32942 (https://www.uniprot.org/uniprotkb/P32942/entry)
别名	ICAM3 (YD33637),ICAM3 (YD33637) Rabbit mAb,ICAM3,CDw50,ICAM-R

产品验证





实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)