— ABLYBIO, Help Your Research

CDKN2A/p16INK4a (YD32332) Rabbit mAb

货号: AYD13880

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	**WB: 1:1000-1:3000:** **FC: 1:100:** **IP: 1:50:**
理论分子量	17kDa
实测分子量	17kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,HeLa
细胞定位	Cytoplasm, Nucleus
纯化	亲和纯化


抗原信息

抗原信息	

靶点信息

研究背景	This gene generates several transcript variants which differ in their first exons. At least three alternatively spliced variants encoding distinct proteins have been reported, two of which encode structurally related isoforms known to function as inhibitors of CDK4 kinase. The remaining transcript includes an alternate first exon located 20 Kb upstream of the remainder of the gene; this transcript contains an alternate open reading frame (ARF) that specifies a protein which is structurally unrelated to the products of the other variants. This ARF product functions as a stabilizer of the tumor suppressor protein p53 as it can interact with, and sequester, the E3 ubiquitin-protein ligase MDM2, a protein responsible for the degradation of p53. In spite of the structural and functional differences, the CDK inhibitor isoforms and the ARF product encoded by this gene, through the regulatory roles of CDK4 and p53 in cell cycle G1 progression, share a common functionality in cell cycle G1 control. This gene is frequently mutated or deleted in a wide variety of tumors, and is known to be an important tumor suppressor gene. [provided by RefSeq, Sep 2012]
基因ID	1029
基因名	CDKN2A
Swiss	P42771 (https://www.uniprot.org/uniprotkb/P42771/entry)
别名	CDKN2A/p16INK4a (YD32332),CDKN2A/p16INK4a (YD32332) Rabbit mAb,CDKN2A,Cyclin-dependent kinase 4 inhibitor A,Multiple tumor suppressor 1,p16-INK4a,CDKN2,MTS1

产品验证



Western blot detection of CDKN2A/p16INK4a in 3T3,Hela cell lysates using CDKN2A/p16INK4a antibody(1:1000 diluted).

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)