

— ABLYBIO, Help Your Research



# Tissue Factor (YD19637) Rabbit mAb

货号: **AYD13910**

## 产品信息

|       |                                                                                               |
|-------|-----------------------------------------------------------------------------------------------|
| 反应    | Human                                                                                         |
| 宿主    | Rabbit                                                                                        |
| 克隆性   | Monoclonal                                                                                    |
| 预测反应  |                                                                                               |
| 应用    | WB IHC-P ICC/IF FC IP                                                                         |
| 推荐浓度  |                                                                                               |
| 理论分子量 | 33kDa                                                                                         |
| 实测分子量 |                                                                                               |
| 形式    | Liquid                                                                                        |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物   | Unconjugated                                                                                  |
| 阳性对照  | BxPC-3,Mouse brain,Mouse heart                                                                |
| 细胞定位  | Membrane, Secreted                                                                            |
| 纯化    | 亲和纯化                                                                                          |




## 抗原信息

|      |  |
|------|--|
| 抗原信息 |  |
|------|--|

## 靶点信息

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 研究背景  | This gene encodes coagulation factor III which is a cell surface glycoprotein. This factor enables cells to initiate the blood coagulation cascades, and it functions as the high-affinity receptor for the coagulation factor VII. The resulting complex provides a catalytic event that is responsible for initiation of the coagulation protease cascades by specific limited proteolysis. Unlike the other cofactors of these protease cascades, which circulate as nonfunctional precursors, this factor is a potent initiator that is fully functional when expressed on cell surfaces. There are 3 distinct domains of this factor: extracellular, transmembrane, and cytoplasmic. This protein is the only one in the coagulation pathway for which a congenital deficiency has not been described. Alternate splicing results in multiple transcript variants. |
| 基因ID  | 2152                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 基因名   | F3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Swiss | P13726 ( <a href="https://www.uniprot.org/uniprotkb/P13726/entry">https://www.uniprot.org/uniprotkb/P13726/entry</a> )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 别名    | Tissue Factor (YD19637),Tissue Factor (YD19637) Rabbit mAb,F3,Coagulation factor III,Thromboplastin                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## 产品验证



## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)