

# Phospho-Smad1 (Ser463/Ser465) (YD16073) Rabbit mAb

货号: AYD13936

## 产品信息

|       |   |
|-------|---|
| 反应    | Human,Mouse   |
| 宿主    | Rabbit  |
| 克隆性   | Monoclonal  |
| 预测反应  |   |
| 应用    | WB ICC/IF IP  |
| 推荐浓度  |   |
| 理论分子量 | 52kDa   |
| 实测分子量 |   |
| 形式    | Liquid  |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物   | Unconjugated  |
| 阳性对照  | Jurkat,C6   |
| 细胞定位  | Cytoplasm, Nucleus  |
| 纯化    |   |

## 抗原信息

|      |  |
|------|--|
| 抗原信息 |  |
|------|--|


## 靶点信息

|      |   |
|------|---|
| 研究背景 | <p>The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the Drosophila gene 'mothers against decapentaplegic' (Mad) and the C. elegans gene Sma. SMAD proteins are signal transducers and transcriptional modulators that mediate multiple signaling pathways. This protein mediates the signals of the bone morphogenetic proteins (BMPs), which are involved in a range of biological activities including cell growth, apoptosis, morphogenesis, development and immune responses. In response to BMP ligands, this protein can be phosphorylated and activated by the BMP receptor kinase. The phosphorylated form of this protein forms a complex with SMAD4, which is important for its function in the transcription regulation. This protein is a target for SMAD-specific E3 ubiquitin ligases, such as SMURF1 and SMURF2, and undergoes ubiquitination and proteasome-mediated degradation. Alternatively spliced transcript variants encoding the same protein have been observed.</p> |
|------|---|

|       |   |
|-------|---|
| 基因ID  | 4086                                    |
| 基因名   | SMAD1                                   |
| Swiss | Q15797                                  |
| 别名    | Phospho-Smad1 (Ser463/Ser465) (YD16073) |

## 产品验证

---



## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)