

— ABLYBIO, Help Your Research



# RFC2 (YD20765) Rabbit mAb

货号: **AYD14242**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB ICC/IF FC
推荐浓度	
理论分子量	39kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	LO2,22Rv1,Mouse spleen
细胞定位	Nucleus
纯化	亲和纯化



## 抗原信息

抗原信息	
------	--

## 靶点信息

研究背景	This gene encodes a member of the activator 1 small subunits family. The elongation of primed DNA templates by DNA polymerase delta and epsilon requires the action of the accessory proteins, proliferating cell nuclear antigen (PCNA) and replication factor C (RFC). Replication factor C, also called activator 1, is a protein complex consisting of five distinct subunits. This gene encodes the 40 kD subunit, which has been shown to be responsible for binding ATP and may help promote cell survival. Disruption of this gene is associated with Williams syndrome. Alternatively spliced transcript variants encoding distinct isoforms have been described. A pseudogene of this gene has been defined on chromosome 2.
基因ID	5982
基因名	RFC2
Swiss	P35250 ( <a href="https://www.uniprot.org/uniprotkb/P35250/entry">https://www.uniprot.org/uniprotkb/P35250/entry</a> )
别名	RFC2 (YD20765),RFC2 (YD20765) Rabbit mAb,RFC2,Activator 1 40 kDa subunit,Activator 1 subunit 2,Replication factor C 40 kDa subunit

## 产品验证



## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)