

# Cyp26B1 (YD20122) Rabbit mAb

货号: **AYD14359**

## 产品信息

|       |   |
|-------|---|
| 反应    | Human,Mouse,Rat   |
| 宿主    | Rabbit  |
| 克隆性   | Monoclonal  |
| 预测反应  |   |
| 应用    | WB FC   |
| 推荐浓度  |   |
| 理论分子量 | 58kDa   |
| 实测分子量 |   |
| 形式    | Liquid  |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物   | Unconjugated  |
| 阳性对照  | MCF7,Mouse lung   |
| 细胞定位  | Endoplasmic reticulum membrane, Microsome membrane  |
| 纯化    |   |

## 抗原信息

|      |  |
|------|--|
| 抗原信息 |  |
|------|--|


## 靶点信息

|      |   |
|------|---|
| 研究背景 | This gene encodes a member of the cytochrome P450 superfamily. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. The encoded protein is localized to the endoplasmic reticulum, and functions as a critical regulator of all-trans retinoic acid levels by the specific inactivation of all-trans retinoic acid to hydroxylated forms. Mutations in this gene are associated with radiohumeral fusions and other skeletal and craniofacial anomalies, and increased levels of the encoded protein are associated with atherosclerotic lesions. Alternative splicing results in multiple transcript variants. |
| 基因ID | 56603   |
| 基因名  | CYP26B1   |

|       |                   |
|-------|-------------------|
| Swiss | Q9NR63            |
| 别名    | Cyp26B1 (YD20122) |

## 产品验证

---



## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)