

— ABLYBIO, Help Your Research



BLNK (YD13659) Rabbit mAb

货号: **AYD14777**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IP
推荐浓度	
理论分子量	50kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	
细胞定位	Cytoplasm, Cell membrane
纯化	亲和纯化


抗原信息

抗原信息	
------	--

靶点信息

研究背景	Functions as a central linker protein, downstream of the B-cell receptor (BCR), bridging the SYK kinase to a multitude of signaling pathways and regulating biological outcomes of B-cell function and development. Plays a role in the activation of ERK/EPHB2, MAP kinase p38 and JNK. Modulates AP1 activation. Important for the activation of NF-kappa-B and NFAT. Plays an important role in BCR-mediated PLCG1 and PLCG2 activation and Ca(2+) mobilization and is required for trafficking of the BCR to late endosomes. However, does not seem to be required for pre-BCR-mediated activation of MAP kinase and phosphatidylinositol 3 (PI 3) kinase signaling. May be required for the RAC1-JNK pathway. Plays a critical role in orchestrating the pro-B cell to pre-B cell transition. May play an important role in BCR-induced B-cell apoptosis
基因ID	29760
基因名	BLNK
Swiss	Q8WV28 (https://www.uniprot.org/uniprotkb/Q8WV28/entry)
别名	BLNK (YD13659),BLNK (YD13659) Rabbit mAb,BLNK,B-cell adapter containing a SH2 domain protein,B-cell I adapter containing a Src homology 2 domain protein,Cytoplasmic adapter protein,Src homology 2 domain-containing leukocyte protein of 65 kDa,BASH,SLP65

产品验证



实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)