

# FAM111A (YD15871) Rabbit mAb

货号: **AYD14976**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB ICC/IF
推荐浓度	
理论分子量	70kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	
细胞定位	Nucleus, Chromosome, Cytoplasm
纯化	

## 抗原信息



抗原信息	
------	--

## 靶点信息

研究背景	<p>Single-stranded DNA-binding serine protease that mediates the proteolytic cleavage of covalent DNA-protein cross-links (DPCs) during DNA synthesis, thereby playing a key role in maintaining genomic integrity (PubMed:32165630). DPCs are highly toxic DNA lesions that interfere with essential chromatin transactions, such as replication and transcription, and which are induced by reactive agents, such as UV light or formaldehyde (PubMed:32165630). Protects replication fork from stalling by removing DPCs, such as covalently trapped topoisomerase 1 (TOP1) adducts on DNA lesion, or poly(ADP-ribose) polymerase 1 (PARP1)-DNA complexes trapped by PARP inhibitors (PubMed:32165630). Required for PCNA loading on replication sites (PubMed:24561620). Promotes S-phase entry and DNA synthesis (PubMed:24561620). Also acts as a restriction factor for some viruses including SV40 polyomavirus and vaccinia virus (PubMed:23093934, PubMed:37607234). Mechanistically, affects nuclear barrier function during viral replication by mediating the disruption of the nuclear pore complex (NPC) via its protease activity (PubMed:33369867, PubMed:37607234). In turn, interacts with vaccinia virus DNA-binding protein OPG079 in the cytoplasm and promotes its degradation without the need of its protease activity but through autophagy (PubMed:37607234)</p>
------	---

基因ID	63901
基因名	FAM111A
Swiss	Q96PZ2
别名	FAM111A (YD15871)

## 产品验证



## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)