

— ABLYBIO, Help Your Research



DRIP130 (YD14161) Rabbit mAb

货号: **AYD15405**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC-P ICC/IF
推荐浓度	
理论分子量	156kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	
细胞定位	Nucleus
纯化	亲和纯化



抗原信息

抗原信息	
------	--

靶点信息

研究背景	Required for transcriptional activation subsequent to the assembly of the pre-initiation complex (By similarity). Component of the Mediator complex, a coactivator involved in the regulated transcription of nearly all RNA polymerase II-dependent genes. Mediator functions as a bridge to convey information from gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery. Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional pre-initiation complex with RNA polymerase II and the general transcription factors. Required for transcriptional activation by adenovirus E1A protein. Required for ELK1-dependent transcriptional activation in response to activated Ras signaling
基因ID	9439
基因名	MED23
Swiss	Q9ULK4 (https://www.uniprot.org/uniprotkb/Q9ULK4/entry)
别名	DRIP130 (YD14161),DRIP130 (YD14161) Rabbit mAb,MED23,Activator-recruited cofactor 130 kDa component,Cofactor required for Sp1 transcriptional activation subunit 3,Mediator complex subunit 23,Protein sur-2 homolog,Transcriptional coactivator CRSP130

产品验证



实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)