

Fascin (YD11644) Rabbit mAb

货号: **AYD15940**

产品信息

| | |
|-------|---|
| 反应 | Human,Mouse,Rat |
| 宿主 | Rabbit |
| 克隆性 | Monoclonal |
| 预测反应 | |
| 应用 | WB IHC-P ICC/IF FC IP |
| 推荐浓度 | |
| 理论分子量 | 55kDa |
| 实测分子量 | |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | U-251MG,HeLa,NCI-H460,HepG2,SH-SY5Y,Mouse brain,Mouse spinal cord |
| 细胞定位 | Cytoplasm, cytosol, cell cortex, cytoskeleton, stress fiber, Cell projection, filopodium, invadopodium, micr ovillus, Cell junction |
| 纯化 | |

抗原信息


| | |
|------|--|
| 抗原信息 | |
|------|--|

靶点信息

| | |
|------|---|
| 研究背景 | This gene encodes a member of the fascin family of actin-binding proteins. Fascin proteins organize F-actin into parallel bundles, and are required for the formation of actin-based cellular protrusions. The encoded protein plays a critical role in cell migration, motility, adhesion and cellular interactions. Expression of this gene is known to be regulated by several microRNAs, and overexpression of this gene may play a role in the metastasis of multiple types of cancer by increasing cell motility. Expression of this gene is also a marker for Reed-Sternberg cells in Hodgkin's lymphoma. A pseudogene of this gene is located on the long arm of chromosome 15. |
| 基因ID | 6624 |

| | |
|-------|------------------|
| 基因名 | FSCN1 |
| Swiss | Q16658 |
| 别名 | Fascin (YD11644) |

产品验证



实验步骤

访问官网浏览详情: www.ablybio.cn