

— ABLYBIO, Help Your Research



DDX39B (YD36011) Rabbit mAb

货号: **AYD16119**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC-P ICC/IF FC
推荐浓度	
理论分子量	49kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,HeLa,LO2,SKOV3,K-562,SW620
细胞定位	Nucleus, Nucleus speckle, Cytoplasm
纯化	亲和纯化




抗原信息


抗原信息	
------	--

靶点信息

研究背景	This gene encodes a member of the DEAD box family of RNA-dependent ATPases that mediate ATP hydrolysis during pre-mRNA splicing. The encoded protein is an essential splicing factor required for association of U2 small nuclear ribonucleoprotein with pre-mRNA, and it also plays an important role in mRNA export from the nucleus to the cytoplasm. This gene belongs to a cluster of genes localized in the vicinity of the genes encoding tumor necrosis factor alpha and tumor necrosis factor beta. These genes are all within the human major histocompatibility complex class III region. Mutations in this gene may be associated with rheumatoid arthritis. Alternative splicing results in multiple transcript variants. Related pseudogenes have been identified on both chromosomes 6 and 11. Read-through transcription also occurs between this gene and the upstream ATP6V1G2 (ATPase, H ⁺ transporting, lysosomal 13kDa, V1 subunit G2) gene.
基因ID	7919
基因名	DDX39B
Swiss	Q13838 (https://www.uniprot.org/uniprotkb/Q13838/entry)
别名	DDX39B (YD36011),DDX39B (YD36011) Rabbit mAb,DDX39B,56 kDa U2AF65-associated protein,ATP-dependent RNA helicase p47,DEAD box protein UAP56,HLA-B-associated transcript 1 protein,BAT1,UAP56

产品验证





实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)