

Phospho-AMPK alpha 2 (Ser345) (YD36198) Rabbit mAb

货号: AYD16433

产品信息

| | |
|-------|---|
| 反应 | Human, Mouse, Rat |
| 宿主 | Rabbit |
| 克隆性 | Monoclonal |
| 预测反应 | |
| 应用 | WB |
| 推荐浓度 | |
| 理论分子量 | 62kDa |
| 实测分子量 | |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA, 50% glycerol, pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | HeLa, 293T, HCT116, Mouse heart, Rat liver |
| 细胞定位 | Cytoplasm, Nucleus |
| 纯化 | |

抗原信息

| | |
|------|--|
| 抗原信息 | |
|------|--|

靶点信息

| | |
|------|---|
| 研究背景 | The protein encoded by this gene is a catalytic subunit of the AMP-activated protein kinase (AMPK). AMPK is a heterotrimer consisting of an alpha catalytic subunit, and non-catalytic beta and gamma subunits. AMPK is an important energy-sensing enzyme that monitors cellular energy status. In response to cellular metabolic stresses, AMPK is activated, and thus phosphorylates and inactivates acetyl-CoA carboxylase (ACC) and beta-hydroxy beta-methylglutaryl-CoA reductase (HMGCR), key enzymes involved in regulating de novo biosynthesis of fatty acid and cholesterol. Studies of the mouse counterpart suggest that this catalytic subunit may control whole-body insulin sensitivity and is necessary for maintaining myocardial energy homeostasis during ischemia. |
| 基因ID | 5563 |

| | |
|-------|---|
| 基因名 | PRKAA2 |
| Swiss | P54646 |
| 别名 | Phospho-AMPK alpha 2 (Ser345) (YD36198) |

产品验证

实验步骤

访问官网浏览详情: www.ablybio.cn