

— ABLYBIO, Help Your Research



# GABA A Receptor alpha 5 Rabbit mAb

货号: **AYM28540**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	52kDa
实测分子量	70kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,Mouse skeletal muscle,Mouse pancreas,Rat brain,Rat skeletal muscle
细胞定位	Cell junction,Cell membrane,Multi-pass membrane protein,postsynaptic cell membrane,synapse
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein corresponding to Human GABA A Receptor alpha 5.
------	--

## 靶点信息

研究背景	GABA is the major inhibitory neurotransmitter in the mammalian brain where it acts at GABA-A receptors, which are ligand-gated chloride channels. Chloride conductance of these channels can be modulated by agents such as benzodiazepines that bind to the GABA-A receptor. At least 16 distinct subunits of GABA-A receptors have been identified. Transcript variants utilizing three different alternative non-coding first exons have been described.
基因ID	2558
基因名	GABRA5
Swiss	P31644
别名	GABA A Receptor alpha 5,GABA A Receptor alpha 5 Rabbit mAb,GABRA5,GABA(A) receptor subunit alpha-5

## 产品验证



Western blot analysis of GABA A Receptor alpha 5 expressed in Mouse brain,Rat brain,Mouse skeletal muscle using GABA A Receptor alpha 5 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))