

# p40 Rabbit mAb

货号: **AYM28592**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB FC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>FC:</b> 1:20 - 1:50
理论分子量	47kDa
实测分子量	47kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-549,Mouse testis,Mouse brain,Rat testis
细胞定位	cytosol,endosome,transport vesicle
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein corresponding to Human p40.
序列	YHTEEQHWTLKFDLTPPGRLDHSMCIIPWPVTCASEKEDSNLTLNHEAEKEDSADKVM SHSGDSHEESQTATLLCLV FGGMNTEGEIYDDCIVTVVD

## 靶点信息

研究背景	Rab9 effector required for endosome to trans-Golgi network (TGN transport).
基因ID	10244
基因名	RABEPK

<b>Swiss</b>	Q7Z6M1
别名	RAB9P40; bA65N13.1; p40

## 产品验证



Western blot analysis of p40 expressed in A-549, Mouse testis, Mouse brain using p40 Rabbit mAb at 1:10 00. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)