

MIB1 / DIP1 Rabbit mAb

货号: **AYM28608**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	110kDa
实测分子量	110kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,A-549,HepG2,Mouse stomach,Mouse lung,Mouse kidney ,Rat testis
细胞定位	Cell membrane,Cytoplasm,centriolar satellite,centrosome,cytoskeleton,microtubule organizing center
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human MIB1 / DIP1.
序列	DSEGDTPHDAISKRRDDILAVLLEAGADVTTITNNNGFNALHHAALRGNPNSAMRVLLSKLPRPWIVDEKKDDGYTALHLAA LNNHVEVAELLVHQGNANLDIQNVNQQTALHLAVERQHTQIVRLLVRAGAKLDIQDKDGDTPLHEALRHHTLSQLRQLQD MQDVGKVDAAWEPKNTLIMGLGTQGAEKSAASIACFLAANGADLSIRNKKQSPLDLPDNLCKALAKCHKKEKVS QVGSRSPTMISNDSETLEECMVCSMDMKRDTLFGPCGHIATCSLCSPRVKKCLICKEQVQSR

靶点信息

研究背景	This gene encodes a protein containing multiple ankyrin repeats and RING finger domains that functions as an E3 ubiquitin ligase. The encoded protein positively regulates Notch signaling by ubiquitinating the Notch receptors, thereby facilitating their endocytosis. This protein may also promote the ubiquitination and degradation of death-associated protein kinase 1 (DAPK1).
------	--

基因ID	57534
基因名	MIB1
Swiss	Q86YT6
别名	MIB1;DIP-1;DIP1;LVNC7;MIB;ZZANK2;ZZZ6

产品验证



Western blot analysis of MIB1 / DIP1 expressed in Mouse stomach,U-87MG,A-549 using MIB1 / DIP1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn