

— ABLYBIO, Help Your Research



STK33 Rabbit mAb

货号: **AYM28657**

产品信息

| | |
|-------|---|
| 反应 | Human |
| 宿主 | Rabbit |
| 克隆性 | Monoclonal |
| 预测反应 | |
| 应用 | WB IHC IF/ICC |
| 推荐浓度 | WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200 |
| 理论分子量 | 58, 50kDa |
| 实测分子量 | 58, 50kDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | SH-SY5Y |
| 细胞定位 | cytoplasm,nucleus,perinuclear region of cytoplasm |
| 纯化 | Affinity purification |


抗原信息

| | |
|------|--|
| 抗原信息 | Recombinant fusion protein corresponding to Human STK33. |
|------|--|

靶点信息

| | |
|-------|---|
| 研究背景 | Serine/threonine protein kinase which phosphorylates VIME. May play a specific role in the dynamic behavior of the intermediate filament cytoskeleton by phosphorylation of VIME (By similarity. Not essential for the survival of KRAS-dependent AML cell lines. |
| 基因ID | 65975 |
| 基因名 | STK33 |
| Swiss | Q9BYT3 (https://www.uniprot.org/uniprotkb/Q9BYT3/entry) |
| 别名 | STK33,STK33 Rabbit mAb |

产品验证



Western blot analysis of STK33 expressed in SH-SY5Y using STK33 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)