

— ABLYBIO, Help Your Research



# NDUFAB1 Rabbit mAb

货号: **AYM28722**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IP
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:200 <b>IP:</b> 1:20 - 1:50
理论分子量	17Da
实测分子量	10kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,NCI-H460,Mouse kidney,Mouse heart,Rat kidney,Rat heart
细胞定位	Mitochondrion
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein corresponding to Human NDUFAB1.
------	--

## 靶点信息

研究背景	Carrier of the growing fatty acid chain in fatty acid biosynthesis (By similarity. Accessory and non-catalytic subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I, which functions in the transfer of electrons from NADH to the respiratory chain.
基因ID	4706
基因名	NDUFAB1
Swiss	O14561 ( <a href="https://www.uniprot.org/uniprotkb/O14561/entry">https://www.uniprot.org/uniprotkb/O14561/entry</a> )
别名	NDUFAB1,NDUFAB1 Rabbit mAb,CI-SDAP,NADH-ubiquinone oxidoreductase 9.6 kDa subunit

## 产品验证



Western blot analysis of NDUFAB1 expressed in 293T,NCI-H460,Mouse kidney using NDUFAB1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)