

FOXA1 Rabbit mAb

货号: **AYM28724**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	45kDa/49kDa
实测分子量	49kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Rat testis
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human FOXA1.
序列	QKRFKCEKQPGAGGGGGSGGGSGAKGGPESRKDPSGASNPADSPLHRGVHGTGQLEGAPAPGPAASPQTLDHSG ATATGGASELKTASSTAPPISGPGALASVPASHPAHGLAPHESQLHLKGDPHYSFNHPFSINNLMSSEQQHKLDFKAY EQALQYSPYGSTLPASLPLGSASVTRSPIEPSALEPAYYQGVYSRPVLNTS

靶点信息

研究背景	This gene encodes a member of the forkhead class of DNA-binding proteins. These hepatocyte nuclear factors are transcriptional activators for liver-specific transcripts such as albumin and transthyretin, and they also interact with chromatin. Similar family members in mice have roles in the regulation of metabolism and in the differentiation of the pancreas and liver.
------	--

基因ID	3169
基因名	FOXA1
Swiss	P55317
别名	FOXA1;HNF3A;TCF3A

产品验证



Western blot analysis of FOXA1 expressed in Rat testis using FOXA1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn