

— ABLYBIO, Help Your Research



EBI3 Rabbit mAb

货号: **AYM28732**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	25kDa
实测分子量	25kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,Mouse spleen,Rat brain
细胞定位	endoplasmic reticulum lumen,external side of plasma membrane,extracellular region,extracellular space, plasma membrane
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human EBI3.
------	---

靶点信息

研究背景	This gene was identified by its induced expression in B lymphocytes in response Epstein-Barr virus infection. It encodes a secreted glycoprotein belonging to the hematopoietin receptor family, and heterodimerizes with a 28 kDa protein to form interleukin 27 (IL-27). IL-27 regulates T cell and inflammatory responses, in part by activating the Jak/STAT pathway of CD4+ T cells. [provided by RefSeq, Sep 2008]
基因ID	10148
基因名	EBI3
Swiss	Q14213 (https://www.uniprot.org/uniprotkb/Q14213/entry)
别名	EBI3,EBI3 Rabbit mAb,Epstein-Barr virus-induced gene 3 protein,IL27B

产品验证



Western blot analysis of EBI3 expressed in MCF7, Mouse spleen, Rat brain using EBI3 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)