

— ABLYBIO, Help Your Research



SARA Rabbit mAb

货号: **AYM28746**

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	83kDa/150kDa/156kDa
实测分子量	180kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SH-SY5Y,Mouse testis,Rat lung,Rat testis
细胞定位	Cytoplasm,Early endosome membrane
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human SARA.
------	---

靶点信息

研究背景	This gene encodes a double zinc finger motif-containing protein that participates in the transforming growth factor-beta (TGFB) signalling pathway. The encoded protein interacts directly with SMAD2 and SMAD3, and recruits SMAD2 to the TGFB receptor. There are multiple pseudogenes for this gene on chromosomes 2, 15, and X. Alternative splicing results in multiple transcript variants.
基因ID	9372
基因名	ZFYVE9
Swiss	O95405 (https://www.uniprot.org/uniprotkb/O95405/entry)
别名	SARA,SARA Rabbit mAb,ZFYVE9,Mothers against decapentaplegic homolog-interacting protein,Novel serine protease,Receptor activation anchor,Smad anchor for receptor activation,MADHIP,SMADIP

产品验证



Western blot analysis of SARA expressed in SH-SY5Y, Mouse testis, Rat lung using SARA Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)