

GFAP Rabbit mAb

货号: **AYM28795**

产品信息

反应	Human,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 ICC: 1:50 - 1:200
理论分子量	49kDa/50kDa
实测分子量	50kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,Rat brain
细胞定位	Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human GFAP .
序列	RGTNESLERQMREQEERHVREAASYQEALARLEEESQSLKDEMARHLQEYQDLLNVKLALDIEIATYRKLLEGEENRITIPVQ TFSNLQIRETSLDTKSVSEGHKRNIVVKTVMEMRDGEVIKESKQEHKDVM

靶点信息


研究背景	This gene encodes one of the major intermediate filament proteins of mature astrocytes. It is used as a marker to distinguish astrocytes from other glial cells during development. Mutations in this gene cause Alexander disease, a rare disorder of astrocytes in the central nervous system. Alternative splicing results in multiple transcript variants encoding distinct isoforms.
基因ID	2670

基因名	GFAP
Swiss	P14136
别名	ALXDRD;GFAP

产品验证



Immunohistochemical analysis of paraffin-embedded human glioma, using GFAP Antibody .



Western blot analysis of GFAP expressed in Mouse brain,Rat brain using GFAP Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn