

GRB7 Rabbit mAb

货号: **AYM28801**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	49kDa/55kDa/59kDa/62kDa
实测分子量	60kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SKOV3,22Rv1,HeLa
细胞定位	Cell junction,Cell membrane,Cell projection,Cytoplasm,Cytoplasmic granule,Cytoplasmic side,Peripheral membrane protein,focal adhesion
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human GRB7.
序列	MELDLSPPHLSSSPEDLCPAPGTPPGTTPRPPDTPLPEEVKRSQPLLIPTTGRKLREEERRATSLPSIPNPFPELCSPPSQSPILG GPSSARGLLPRDASRPHVVKVYSEDGACRSVEVAAGATARHVCCEMLVQRAHALSD

靶点信息

研究背景	The product of this gene belongs to a small family of adapter proteins that are known to interact with a number of receptor tyrosine kinases and signaling molecules. This gene encodes a growth factor receptor-binding protein that interacts with epidermal growth factor receptor (EGFR) and ephrin receptors. The protein plays a role in the integrin signaling pathway and cell migration by binding with focal adhesion kinase (FAK). Several transcript variants encoding two different isoforms have been found for this gene.
------	--

基因ID	2886
基因名	GRB7
Swiss	Q14451
别名	GRB7

产品验证



Western blot analysis of GRB7 expressed in SKOV3, 22Rv1, HeLa using GRB7 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn