

Myeloperoxidase Rabbit mAb

货号: **AYM28828**

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	73kDa/83kDa/87kDa
实测分子量	84kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HL-60
细胞定位	Lysosome
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human Myeloperoxidase.
序列	GVSEPLKRKGRVGPLLACIIGTQFRKLRDGRFWWENEGVFSMQRQALAQISLPRIICDNTGITTVSKNNIFMSNSYPRD FVNCSTLPALNLSWREAS

靶点信息

研究背景	Myeloperoxidase (MPO) is a heme protein synthesized during myeloid differentiation that constitutes the major component of neutrophil azurophilic granules. Produced as a single chain precursor, myeloperoxidase is subsequently cleaved into a light and heavy chain. The mature myeloperoxidase is a tetramer composed of 2 light chains and 2 heavy chains. This enzyme produces hypohalous acids central to the microbicidal activity of neutrophils.
------	--

基因ID	4353
基因名	MPO
Swiss	P05164
别名	MPO

产品验证



Western blot analysis of Myeloperoxidase expressed in HL-60 using Myeloperoxidase Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn