

EEF1G Rabbit mAb

货号: **AYM28837**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC IP FC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200 IP: 1:20 - 1:50 FC: 1:20 - 1:50
理论分子量	50kDa/56kDa
实测分子量	48kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	BxPC-3,NIH/3T3,HeLa,Mouse brain,Mouse thymus,Mouse pancreas,Rat testis
细胞定位	cytoplasm,cytosol,extracellular exosome,nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human EEF1G.
序列	LLWLYKQVLEPSFRQAFPNTNRWFLTCINQPQFRAVLGEVKLCEKMAQFDAKKFAETQPKKDTPRKEKGSREEKQKPQAE RKEEKKAAAPAEPEEMDECEQALAAEPKAKDPFAHLPKSTFVLDEFKRKYSNEDTSLVALPYFWEHFDKDGWSLWYSEYR FPEELTQTFMSCNLITGMFQRLDKLRKNAFASVILFGTNNSSSISGVVWVFRGQELAFPLSPDWQVDYESYTWKLDPGSE ETQTLVREYFSWEGAFQHVHGKAFNQGKIFK

靶点信息

研究背景	This gene encodes a subunit of the elongation factor-1 complex, which is responsible for the enzymatic delivery of aminoacyl tRNAs to the ribosome. This subunit contains an N-terminal glutathione transferase domain, which may be involved in regulating the assembly of multisubunit complexes containing this elongation factor and aminoacyl-tRNA synthetases.
基因ID	1937
基因名	EEF1G
Swiss	P26641
别名	EEF1G;EF1G;GIG35

产品验证



Western blot analysis of EEF1G expressed in Mouse brain,Rat testis,BxPC-3 using EEF1G Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn