

— ABLYBIO, Help Your Research



# RSK4 Rabbit mAb

货号: **AYM28845**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC FC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:200 <b>IF/ICC:</b> 1:50 - 1:200 <b>FC:</b> 1:20 - 1:50
理论分子量	83kDa/84kDa
实测分子量	84kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse kidney
细胞定位	Cytoplasm,Nucleus,cytosol
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein corresponding to Human RSK4.
------	---------------------------------------------------------

## 靶点信息

研究背景	This gene encodes a member of ribosomal S6 kinase family, serine-threonine protein kinases which are regulated by growth factors. The encoded protein may be distinct from other members of this family, however, as studies suggest it is not growth factor dependent and may not participate in the same signaling pathways.
基因ID	27330
基因名	RPS6KA6
Swiss	Q9UK32 ( <a href="https://www.uniprot.org/uniprotkb/Q9UK32/entry">https://www.uniprot.org/uniprotkb/Q9UK32/entry</a> )
别名	RSK4,RSK4 Rabbit mAb,RPS6KA6,90 kDa ribosomal protein S6 kinase 6,Ribosomal S6 kinase 4,pp90RSK4

## 产品验证



Western blot analysis of RSK4 expressed in Mouse kidney using RSK4 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))