

E1 Ubiquitin Activating Enzyme Rabbit mAb

货号: **AYM28964**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC FC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200 FC: 1:20 - 1:50
理论分子量	113kDa/117kDa
实测分子量	118kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-251MG,Rat spleen
细胞定位	Cytoplasm,Mitochondrion,Nucleus,Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human E1 Ubiquitin Activating Enzyme.
序列	KISFKSLVASLAEPDFVVTDFAKFSRPAQLHIGFQALHQFCAQHGRPPRPRNEEDAAELVALAQAVNARALPAVQQNNLDE DLIRKLAYVAAGDLAPINAFIGGLAAQEVKACSGKGFMPIMQWLYFDALECLPEDKEVLTEDKCLQRQNRDYGQVAVFGS DLQEKLGKQKYFLVGAGAIGCELLKNFAMIGLGCGEIIVTDMDTIEKSNLNRQFLFRPVDVTKLKSDTAAAVRQMN PHIRVTSHQNRVGPDTERIYDDDFQNLGDGVANALDNVDARMYMDRRCVYYRKPLLESST

靶点信息

研究背景	The protein encoded by this gene catalyzes the first step in ubiquitin conjugation to mark cellular proteins for degradation. This gene complements an X-linked mouse temperature-sensitive defect in DNA synthesis, and thus may function in DNA repair. It is part of a gene cluster on chromosome Xp11.23. Alternatively spliced transcript variants that encode the same protein have been described.
------	---

基因ID	7317
基因名	UBA1
Swiss	P22314
别名	UBA1;A1S9;A1S9T;A1ST;AMCX1;CFAP124;GXP1;POC20;SMAX2;UBA1A;UBE1;UBE1X

产品验证



Western blot analysis of E1 Ubiquitin Activating Enzyme expressed in U-251MG,Rat spleen using E 1 Ubiquitin Activating Enzyme Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit I gG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST . Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn