

— ABLYBIO, Help Your Research



# TCTP Rabbit mAb

货号: **AYM28982**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC IP FC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:200 <b>IF/ICC:</b> 1:50 - 1:200 <b>IP:</b> 1:20 - 1:50 <b>FC:</b> 1:20 - 1:50
理论分子量	15kDa/19kDa
实测分子量	20kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SW480,MCF7,K-562,THP-1,U-251MG,293T,HepG2,Mouse kidney
细胞定位	Cytoplasm
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein corresponding to Human TCTP.
------	---

## 靶点信息

研究背景	Involved in calcium binding and microtubule stabilization.
基因ID	7178
基因名	TPT1
Swiss	P13693 ( <a href="https://www.uniprot.org/uniprotkb/P13693/entry">https://www.uniprot.org/uniprotkb/P13693/entry</a> )
别名	TCTP,TCTP Rabbit mAb,TPT1,Fortilin,Histamine-releasing factor,p23

## 产品验证



Western blot analysis of TCTP expressed in Mouse kidney,SW480,MCF7 using TCTP Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))