

alpha Internexin Rabbit mAb

货号: **AYM29012**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC IP FC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200 IP: 1:20 - 1:50 FC: 1:20 - 1:50
理论分子量	60kDa
实测分子量	60kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,Mouse brain,Rat brain
细胞定位	cytoplasm,cytoplasmic ribonucleoprotein granule,extracellular space,neurofilament,postsynaptic intermediate filament cytoskeleton,Schaffer collateral - CA1 synapse
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human alpha Internexin.
------	---

靶点信息

研究背景	Neurofilaments are type IV intermediate filament heteropolymers composed of light, medium, and heavy chains. Neurofilaments comprise the axoskeleton and they functionally maintain the neuronal caliber. They may also play a role in intracellular transport to axons and dendrites. This gene is a member of the intermediate filament family and is involved in the morphogenesis of neurons. [provided by RefSeq, Jun 2009]
基因ID	9118

基因名	INA
Swiss	Q16352
别名	alpha Internexin

产品验证



Western blot analysis of alpha Internexin expressed in U-87MG, Mouse brain, Rat brain using alpha Internexin Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn