

MYO19 Rabbit mAb

货号: **AYM29081**

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	
实测分子量	100kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,COS-7,Mouse thymus,Rat testis
细胞定位	actin cytoskeleton,cytosol,mitochondrial outer membrane,mitochondrion
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human MYO19.
序列	QQEYAVEGLEWSFINYQDNQPCLDLIEGSPISICSLINEECRLNRPSSAAQLQTRIETALAGSPCLGHNKLSREPSFIVVHYA GPVRYHTAGLVEKNKDPIPELTRLQQSQDPLLMGLFPTNPKEKTQEPPGQSRAPVLTVVSKFKASLEQLLQVLHSTTPH YIRCIKPNSQQAQTFLQEEVLSQLEACGLVETIH

靶点信息

研究背景	Enables actin binding activity. Involved in regulation of cytokinesis and regulation of mitochondrial fission . Acts upstream of or within mitochondrion migration along actin filament. Located in cytosol and mitochondrial outer membrane.
基因ID	80179

基因名	MYO19
Swiss	Q96H55
别名	

产品验证



Western blot analysis of MYO19 expressed in HeLa, COS-7, Mouse thymus using MYO19 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn