

— ABLYBIO, Help Your Research



# TRIB3 Rabbit mAb

货号: **AYM29083**

## 产品信息

|       |   |
|-------|---|
| 反应    | Human   |
| 宿主    | Rabbit  |
| 克隆性   | Monoclonal  |
| 预测反应  |   |
| 应用    | WB  |
| 推荐浓度  | <b>WB:</b> 1:500 - 1:2000   |
| 理论分子量 | 40kDa   |
| 实测分子量 | 40kDa   |
| 形式    | Liquid  |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物   | Unconjugated  |
| 阳性对照  | K-562   |
| 细胞定位  | cytosol,nucleoplasm,nucleus,plasma membrane   |
| 纯化    | Affinity purification   |


## 抗原信息

|      |  |
|------|--|
| 抗原信息 | Recombinant fusion protein corresponding to Human TRIB3. |
|------|--|

## 靶点信息

|       |  |
|-------|--|
| 研究背景  | The protein encoded by this gene is a putative protein kinase that is induced by the transcription factor NF- $\kappa$ B. The encoded protein is a negative regulator of NF- $\kappa$ B and can also sensitize cells to TNF- $\alpha$ and TRAIL-induced apoptosis. In addition, this protein can negatively regulate the cell survival serine-threonine kinase AKT1. Differential promoter usage and alternate splicing result in multiple transcript variants. [provided by RefSeq, Jul 2014] |
| 基因ID  | 57761  |
| 基因名   | TRIB3  |
| Swiss | Q96RU7 ( <a href="https://www.uniprot.org/uniprotkb/Q96RU7/entry">https://www.uniprot.org/uniprotkb/Q96RU7/entry</a> )   |
| 别名    | TRIB3,TRIB3 Rabbit mAb,Neuronal cell death-inducible putative kinase,SINK,p65-interacting inhibitor of NF- $\kappa$ B,C20orf97,NIPK,SKIP3,TRB3   |

## 产品验证



Western blot analysis of TRIB3 expressed in K-562 using TRIB3 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)