

— ABLYBIO, Help Your Research



# Trefoil Factor 3 Rabbit mAb

货号: **AYM29091**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC FC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:200 <b>IF/ICC:</b> 1:50 - 1:200 <b>FC:</b> 1:20 - 1:50
理论分子量	8kDa
实测分子量	10kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	
细胞定位	Cytoplasm,Secreted,extracellular matrix,extracellular space
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein corresponding to Human Trefoil Factor 3.
------	---

## 靶点信息

研究背景	Members of the trefoil family are characterized by having at least one copy of the trefoil motif, a 40-amino acid domain that contains three conserved disulfides. They are stable secretory proteins expressed in gastrointestinal mucosa. Their functions are not defined, but they may protect the mucosa from insults, stabilize the mucus layer and affect healing of the epithelium. This gene is expressed in goblet cells of the intestines and colon. This gene and two other related trefoil family member genes are found in a cluster on chromosome 21.
基因ID	7033
基因名	TFF3
Swiss	Q07654 ( <a href="https://www.uniprot.org/uniprotkb/Q07654/entry">https://www.uniprot.org/uniprotkb/Q07654/entry</a> )
别名	Trefoil Factor 3, Trefoil Factor 3 Rabbit mAb, TFF3, Intestinal trefoil factor, Polypeptide P1.B, ITF, TFI

## 产品验证



Western blot analysis of Trefoil Factor 3 expressed in human lung cancer using Trefoil Factor 3 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)